

## Compact Fusing Press HP-450M, HP-450MS



### Specifications

- Automatic belt warping prevention device.  
Upper belt warpping prevention system  
adopt direct limit switch type like lower belt  
warping prevention system.  
Increase the fusing belt width for 450mm  
Adopted rubber driving roller for non-slip driving.  
MS MODEL has been equipped rotary strip-off device.


TOP

SPECIFICATIONS

OPTION

YOU MAY ALSO BE  
INTERESTED IN:

## Compact Fusing Press HP-450M, HP-450MS



HP-450MS

Now Printing

Scraper Device

Now Printing

Strip-Off Device

## Description

Compact Fusing Press

## Model

HP-450M,MS

## Voltage

1P220V/3P200V

## Rated Output

Heater : 4kw  
Motor : 33W

## Temperature (MAX)

195℃

## Presser (MAX)

1.5kg/cm2

## Belt Speed (MAX)

8.7m/minutes

## Heating Time

5~20 second

## Fusing Width

450mm

## Size

W : 1,660mm  
D : 880mm  
H : 490mm

## Weight

152kg

TOP

SPECIFICATIONS

OPTION

YOU MAY ALSO BE  
INTERESTED IN:

**Compact Fusing Press HP-450M, HP-450MS**

**Standard**

Belt Warping Prevention Device、Strip-Off Device (HP-450MS)

**Consumption**

Teflon Belt  
Scraper (HP-450M)  
Wing Plate for Strip-Off Device (HP-450MS)

TOP

SPECIFICATIONS

OPTION

YOU MAY ALSO BE  
INTERESTED IN:

## Compact Fusing Press HP-450M, HP-450MS



▣ **HP-450M with  
Scapper  
Device**



▣ **HP-450MS with  
Strip-Off Device**