

**Flat Type Sublimation HSP-126FA****Specification**

The Upper Plate is Coated with an Anti-Static Teflon Sheet for Soil-Free Operation. (In Case Adhesives and Other Impurities Stick To the Plate, They can be Moved Easily) The Special Heater Assures Excellent Thermal Efficiency and a Long Service Life. Aluminum is used for the Upper Plate, And The Electronic Thermostat and SSR control The Temperature Range.

**Flat Type Sublimation HSP-126FA**

Description	Flat Type Sublimation
Model	HSP-126FA
Voltage	3P220V
Rated Output	5.8kw
Rated Current	17A
Presser (MAX)	315g/cm2
Presser Type	Motor
Temperature (MAX)	230℃
Effective Size	1,200×600mm
(W)	1,200mm
(D)	1,550mm
(H)	1,570mm
Weight	400kg
Compressor	

TOP

SPECIFICATIONS

OPTIONS

YOU MAY ALSO BE  
INTERESTED IN:

## Flat Type Sublimation HSP-126FA

### Consumption

Teflon Sheet  
Fabric Cover

TOP

SPECIFICATIONS

OPTIONS

YOU MAY ALSO BE  
INTERESTED IN:

## Flat Type Sublimation HSP-126FA



▣ HSP-126FA



▣ HSP-5400